

Helping You get... ***...MORE PRODUCTION***



✓ **Quality** ✓ **Durability** ✓ **Reliability**

Specialising in Spreaders

Walco

Made In New Zealand

HELPING FARMERS BOOST PRODUCTION

Distributed by CDS Agri Wholesale, Skreen, Co. Sligo.

Tel 071 91 66616 | E-mail: sales@cdsagri.ie

Web: www.cdsagri.ie | www.walco.co.nz

WA 0.70 Caus/mag Spreader - Capacity 70 Litres

The Walco Allspread 0.70 ATV Mag Spreader is specially designed for spreading Causmag or Magnesium Oxide

* takes the work out of dusting grass with magnesium

Hopper, fertiliser guards and mudguards are UV & corrosion resistant polyethylene for longer service

Frame is strong steel construction which is paint over hotdip galvanised for durability

Aperture shutter is stainless steel for corrosion resistance

Gearbox has an extra bearing for longer service

Aperture has a single drop point for controlled Magnesium powder spreading

Extra Large spinner shroud to keep Mag dust off operator & machine

Mudguards are standard to keep mud off operator & machine

Simple Drive gearbox engagement operate from Quad seat for your convenience

Optional Polyethylene hard lid for durability

Height Adjustable drawbar

Suitable for towing with Quad, SSUV, Ute or ATV

2 Year Warranty for your Peace of Mind (Subject to conditions)



WA 1.75 Spreader - Capacity 175 Litres

For spreading fertiliser, Causmag or seed

Suitable for towing with ATV, Quad, SSUV or UTE

Hopper, fertiliser guards and mudguards are UV & corrosion resistant polyethylene for longer service

Frame is strong steel construction which has paint over hotdip galvanised for durability

Aperture shutter is stainless steel for corrosion resistance

Gearbox has an extra bearing for longer service

Spinner is dished with tipped fins for even spreading & even growth

Height adjustable drawbar

Optional hard plastic lid or PVC cover

Simple Drive gearbox engagement operate from Quad seat for your convenience

2 Year Warranty for your Peace of Mind (Subject to conditions)

Tyres: 18-750-8

Width: 1200mm



Also available as salt spreader

Features and Optional Extras

Bearing Under Spinner

* Extra Bearing under Spinner
Strengthens the Gearbox



Gearbox Engaged



Gearbox Disengaged



Electric Open/Shut Kit
optional extras



Soft and hard lids/covers
are available separately
optional extras





WA 3.50 Spreader - Capacity 350 Litres

For spreading fertiliser, or seed

Suitable for towing with ATV, Quad, SSUV or Ute

Hopper, fertiliser guards and mudguards are UV & corrosion resistant polyethylene for longer service

Frame is strong steel construction which has paint over hotdip galvanised for durability

Aperture shutter is stainless steel for corrosion resistance

Gearbox has an extra bearing for longer service

Spinner is dished with tipped fins for even spreading & even growth

Height adjustable drawbar

Optional hard plas/c lid or PVC cover

Simple Drive gearbox engagement operate from Quad seat for your convenience

2 Year Warranty for your Peace of Mind (Subject to condntions)

Tyres: 18-9.50-8 (knobly tyres) Working width: 12 M at 15km/h

Width: 1450mm

Height: 1250mm



Also available as salt spreader



WA 500 Spreader - Capiticity 500 Litre

For spreading fertiliser, or seed

Suitable for towing with ATV, Quad, SSUV or UTE

Hopper, shroud and mudguards are UV & corrosion resistant polyethylene for longer service

Frame is strong steel construction which has paint over hotdip galvanised for durability

Aperture shutter is stainless steel for corrosion resistance

Gearbox has an extra bearing for longer service

Spinner is dished with tipped fins for even spreading & even growth

Height adjustable drawbar & wide wheel base

Optional hard plastic lid or PVC cover

Simple Drive gearbox engagement operate from Quad seat for your convenience

2 Year Warranty for your Peace of Mind (Subject to conditions)

Tyres: 20/10-8 (Knobly tyres) Working width: 12 M at 15km/h

Width: 1900mm

Height: 1330mm



WA 6.75TD Spreader - Capacity 675 Litres Tandam Axel

For spreading fertiliser, or seed

Suitable for towing with ATV, Quad, SSUV or UTE

Hopper, shroud and mudguards are UV & corrosion resistant polyethylene for longer service

Frame is strong steel construction which has paint over hotdip galvanised for durability

Aperture shutter is stainless steel for corrosion resistance

Gearbox has an extra bearing for longer service

Spinner is dished with /pped fins for even spreading & even growth

Height adjustable drawbar & wide wheel base

Optional hard plastic lid or PVC cover

Simple Drive gearbox engagement operate from Quad seat for your convenience

2 Year Warranty for your Peace of Mind (Subject to conditions)

Tyres: 18-950 (knobly tyres) Working width: 12 M at 15km/h

Width: 1900mm

Height: 1410mm

Save Chemical & Save Money



Wipe Out 2.4: 2.4m wiping width



Wipe Out 4.8: 4.8m wiping width



Wipe Out 6.2: 6.2m wiping width

Selectively Apply Weed Killer to Your Pasture
Wipe in the Breeze
Easy to Use
Sizes to suit your needs
Height Adjustment: 50mm - 400mm
Tow behind a SSUV, Quad, Tractor or UTE

CDS Agri wholesale, Skreen, Co. Sligo.
Tel 071 91 66616 | E-mail: sales@cdsagri.ie
Web: www.cdsagri.ie | www.walco.co.nz

Due to ongoing product development, we reserve the right to change specification without prior notice.
All presented images of products does not constitute a commercial offer and may vary in colour and size